

## One-third of plant and animal species could be gone in 50 years

*Date:* February 14, 2020

*Source:* University of Arizona

*Summary:* Researchers studied recent extinctions from climate change to estimate the loss of plant and animal species by 2070. Their results suggest that as many as one in three species could face extinction unless warming is reduced.

### FULL STORY

---

Accurately predicting biodiversity loss from climate change requires a detailed understanding of what aspects of climate change cause extinctions, and what mechanisms may allow species to survive.

A new study by University of Arizona researchers presents detailed estimates of global extinction from climate change by 2070. By combining information on recent extinctions from climate change, rates of species movement and different projections of future climate, they estimate that one in three species of plants and animals may face extinction. Their results are based on data from hundreds of plant and animal species surveyed around the globe.

---

Published in the *Proceedings of the National Academy of Sciences*, the study likely is the first to estimate broad-scale extinction patterns from climate change by incorporating data from recent climate-related extinctions and from rates of species movements.

To estimate the rates of future extinctions from climate change, Cristian Román-Palacios and John J. Wiens, both in the Department of Ecology and Evolutionary Biology at the University of Arizona, looked to the recent past. Specifically, they examined local extinctions that have already happened,

based on studies of repeated surveys of plants and animals over time.

Román-Palacios and Wiens analyzed data from 538 species and 581 sites around the world. They focused on plant and animal species that were surveyed at the same sites over time, at least 10 years apart. They generated climate data from the time of the earliest survey of each site and the more recent survey. They found that 44% of the 538 species had already gone extinct at one or more sites.

"By analyzing the change in 19 climatic variables at each site, we could determine which variables drive local extinctions and how much change a population can tolerate without going extinct," Román-Palacios said. "We also estimated how quickly populations can move to try and escape rising temperatures. When we put all of these pieces of information together for each species, we can come up with detailed estimates of global extinction rates for hundreds of plant and animal species."

The study identified maximum annual temperatures -- the hottest daily highs in summer -- as the key variable that best explains whether a population will go extinct. Surprisingly, the researchers found that average yearly temperatures showed smaller changes at sites with local extinction, even though average temperatures are widely used as a proxy for overall climate change.

"This means that using changes in mean annual temperatures to predict extinction from climate change might be positively misleading," Wiens said.

Previous studies have focused on dispersal -- or migration to cooler habitats -- as a means for species to "escape" from warming climates. However, the authors of the current study found that most species will not be able to disperse quickly enough to avoid extinction, based on their past rates of movement. Instead, they found that many species were able to tolerate some increases in maximum temperatures, but only up to a point. They found that about 50% of the species had local extinctions if maximum temperatures increased by more than 0.5 degrees Celsius, and 95% if temperatures increase by more than 2.9 degrees Celsius.

---

Projections of species loss depend on how much climate will warm in the future.

"In a way, it's a 'choose your own adventure,'" Wiens said. "If we stick to the Paris Agreement to combat climate change, we may lose fewer than two out of every 10 plant and animal species on Earth by 2070. But if humans cause larger temperature increases, we could lose more than a third or even half of all animal and plant species, based on our results."

The paper's projections of species loss are similar for plants and animals, but extinctions are projected to be two to four times more common in the tropics than in temperate regions.

"This is a big problem, because the majority of plant and animal species occur in the tropics," Román-Palacios said.

---

---

### Story Source:

Materials provided by **University of Arizona**. Original written by Daniel Stolte. *Note: Content may be edited for style and length.*

---

### Journal Reference:

1. Cristian Román-Palacios, John J. Wiens. **Recent responses to climate change reveal the drivers of species extinction and survival.** *Proceedings of the National Academy of Sciences*, 2020; 201913007 DOI: [10.1073/pnas.1913007117](https://doi.org/10.1073/pnas.1913007117)
- 

### Cite This Page:

MLA	APA	Chicago
-----	-----	---------

University of Arizona. "One-third of plant and animal species could be gone in 50 years." ScienceDaily. ScienceDaily, 14 February 2020. <[www.sciencedaily.com/releases/2020/02/202012150146.htm](http://www.sciencedaily.com/releases/2020/02/202012150146.htm)>.

---

### Explore More

from ScienceDaily

**RELATED STORIES**

---

**Global Warming and Mass Extinctions: What We Can Learn from Plants from the Last Ice Age**

Feb. 12, 2025 Global warming is producing a rapid loss of plant species -- according to estimates, roughly 600 plant species have died out since 1750 -- twice the number of animal species lost. But which species ...

**Florida Wildlife Corridor Eases Worst Impacts of Climate Change**

Apr. 16, 2024 Florida is projected to lose 3.5 million acres of land to development by 2070. A new study highlights how Florida can buffer itself against both climate change and population pressures by conserving ...

**Almost Half of Koala Habitats Will Be Under High Bushfire Threat by 2070**

Sep. 18, 2023 The research team generated a series of fire susceptibility maps. These show the proportion of Australia experiencing 'high' or 'very high' fire susceptibility increasing from ...

**Past Records Help to Predict Different Effects of Future Climate Change on Land and Sea**

Feb. 8, 2023 Ongoing climate change driven by greenhouse gas emissions is often discussed in terms of global average warming. For example, the landmark Paris Agreement seeks to limit global warming to 1.5 degrees ...

**Looking at Factors That Accelerate Mass Extinction in the Fossil Record as Climate Changes**

Dec. 21, 2021 The Late Devonian mass extinction (roughly 372 million years ago) was one of five mass extinctions in Earth's history, with roughly 75% of all species disappearing over its course. It happened ...

**Coastal Lupine Faces Specific Extinction Threat from Climate Change**

Mar. 29, 2021 Climate change is altering the world we share with all living things. But it's surprisingly difficult to single out climate change as an extinction threat for any one particular species ...

---

**TRENDING AT SCITECHDAILY.com**

---

Why Alzheimer's Patients Forget Their Loved Ones and How Scientists May Stop It

The Universe's Invisible Skeleton Is Finally Revealed

This Invisible Food Change Could Prevent Heart Attacks and Strokes

Can We Really Make Mars Green? Scientists Say It's Time To Find Out